



SNOWSTRIKER™



V-PLOW AND STRAIGHT-BLADE



MADE IN FINLAND

165-240 cm • For compact tractors and loaders • Trip edge in two segments • Tilt function



STRAIGHT-BLADE



PLOW APPLICATIONS

These plows are designed with a heavy duty box construction for hard winter conditions, and fits compact tractors and loaders with a total weight of 2,5 - 5 ton.



PLOW DESIGN

The curved, powder-coated blade is made of high-strength steel, which in this case is the key to our durable but light plow. The adjustable cutting edge is available in polyurethane or high-strength steel.



V-PLOW




2100 VTR on Kubota compact tractor



Cutting edge with trip springs



3 point hitch



7° tilt angle

STANDARD FUNCTIONS

- ✓ Cutting edge in two segments with trip springs protects the plow and tractor when striking curbs or other obstacles. The trip springs on one side of the cutting edge will be compressed when hitting an obstacle, while the other cutting-edge segment stays on the ground.
- ✓ Adjustable attacking angle.
- ✓ Curved blade for optimal snow-rolling effect.
- ✓ Blade tilts and oscillates while plowing on uneven ground for a cleaner scrape (7°)
- ✓ Double acting cylinders

OPTIONAL FEATURES

- + Electric valve
- + Pressure accumulator
- + LED edge-markers.
- + Custom mountings
- + Snow deflector
 - **V-plow:** poly-deflector
 - **Straight-blade:** rounded steel-deflector increases straight-blade height with 5 cm
- + Color-options: orange snowplow



Optional snow deflector in steel (straight-blade)

STRAIGHT-BLADE SPECIFICATIONS

MODEL	1650-STR	1850-STR	2100-STR	2250-STR	2400-STR
Width	165 cm	185 cm	210 cm	225 cm	240 cm
Width (fully angled)	140 cm	160 cm	185 cm	200 cm	215 cm
Height	55 cm	55 cm	55 cm	55 cm	55 cm
Weight	125 kg	132 kg	137 kg	143 kg	157 kg
Trip springs	4	6	6	6	8

V-PLOW SPECIFICATIONS

MODEL	1850-VTR	2100-VTR	2250-VTR	2400-VTR
Width	185 cm	210 cm	225 cm	240 cm
Width (fully angled)	160 cm	185 cm	200 cm	215 cm
Height	65,5 cm	67 cm	68 cm	70 cm
Weight	140 kg	148 kg	155 kg	168 kg
Trip springs	6	6	6	8



HillTip Oy Ab

Pukkisaarentie 6
FIN-68600 Pietarsaari
Finland

+358 (0) 505983026

+358 (0) 503659415

www.hilltip.com

info@hilltip.com

[facebook.com/hilltip](https://www.facebook.com/hilltip)

[youtube.com/hilltip](https://www.youtube.com/hilltip)